

## QUERY CONTROL FORM

Application No. 08/897,390  
Examiner-GAU KUNZ-1647

Prepared by N/13  
Date 2/16/04  
No. of queries 1

## RTIS USE ONLY

Tracking Number 05875006  
Week Date 12/15/03  
IPW

## JACKET

- |                      |                        |                    |                |
|----------------------|------------------------|--------------------|----------------|
| a. Serial No.        | f. Foreign Priority    | k. Print Claim(s)  | p. PTO-1449    |
| b. Applicant(s)      | g. Disclaimer          | l. Print Fig.      | q. PTOL-85b    |
| c. Continuing Data   | h. Microfiche Appendix | m. Searched Column | r. Abstract    |
| d. PCT               | i. Title               | n. PTO-270/328     | s. Sheets/Figs |
| e. Domestic Priority | j. Claims Allowed      | o. PTO-892         | t. Other       |

## SPECIFICATION

- a. Page Missing
- b. Text Continuity
- c. Holes through Data
- d. Other Missing Text
- e. Illegible Text
- f. Duplicate Text
- g. Brief Description
- h. Sequence Listing
- i. Appendix
- j. Amendments
- k. Other

## CLAIMS

- a. Claim(s) Missing
- b. Improper Dependency
- c. Duplicate Numbers
- d. Incorrect Numbering
- e. Index Disagrees
- f. Punctuation
- g. Amendments
- h. Bracketing
- i. Missing Text
- j. Duplicate Text
- k. Other

## MESSAGE

MESSAGE

Please verify legal representative's name of the deceased inventor Roy H. Steinberg in the bath. Signature is not readable. Please provide printed name, and provide new bib sheet showing the legal representative's name of the deceased inventor.

Franklyn

initials *AMA*

## RESPONSE

initials